

'Āiga Fuafuaina O lau Filifiliga

Contraception your choice



Ua sāunia e le Faalapotopotoga o le 'Āiga Fuafuaina aoaoga e malu-puipua mo le soifua maloloina tau faiga-'āiga. Faamolemole faafesootai mai i matou mo nisi faamatalaga.

Mafuaaga o le ma'itaga/ma'itō How pregnancy occurs

E māfua le ma'itaga pe a fesoota'i le suasi o le tāne ma fuamo o le tama'ita'i i le taimi e faiāiga ai. O le fua e fofoa mai lea feso'ota'iga e tupu ma avea ma pepe i le toala fānau o le tama'ita'i.

Alii, tamaitai ma le maitaga Men, women and pregnancy

E lē na o le to'atasi e māfua ai se ma'itaga, ae pogai ona o le filifiliga a le ali'i ma le tama'ita'i.

I le tama'ita'i, e tu'ufua le fuamo oafine fa'atasi i le masina, ma ua tā'ua lea laasaga o le fofoga (ovulation). E sau le fuamo oafine mai le fa'a-autagata ona faafofoa lea e suasi o le tāne i le taimi e fai'āiga ai.

Afai e fofoa le fuamo, o le a aga'i ifo loa i le to'ala fānau ma pipii ai ma afuafua loa e avea ma pepe.

Afai e lē fofoa le fuamo, ona alu lea o le palapala masina o le tama'ita'i.

I ali'i, ua fausia suasi i totolu o le tagasua (testicle). E alu i luga suasi e ala i fa'aga'au e lua ma filogia ma le sua simeni (semen).

Pe a oo 'ina lelei le tāne i le faiga-'āiga, ona pasi lea o le suasi mai lana pī i totolu o le ala fānau o le tamaitai. E ulufale atu le suasi i le itutinosa o le tamaitai ma agai atu i le to'ala fānau, ma faaaau atu i totolu o lona fa'a-autagata. Afai e fetaia'i le suasi ma se fuamo o le a ono maua le tamaitai i le ma'itō.

E mafai ona oo atu i le fitu aso o ola le suasi o le ali'i i totolu o le tama'ita'i.

O le a lea mea ua tā'ua o le 'āiga fuafuaina?

What is contraception?

O 'auala ia e tāofia pe puipua mai ai se ma'itaga e ala i le tāofia o suasi o le tāne mai lo latou fa'afotoaina o fuamo o le tama'ita'i.

Filifiliga o auala mo 'āiga fuafuaina Choosing contraception


E tele auala mo 'āiga fuafuaina. O nisi auala e sili atu ona fa'atuatua nai lo isi.

E ono suia auala mo 'āiga fuafuaina e fa'aaogā pe a fa'asolo 'ina matua le olaga aua o auala sa fetauai a o talavou e ono lē talafeagai pe a matua.



O fesili nei e ono fesoasoani i lau filifiliga o le itū'āiga auala e te mana'o e fa'aaogā:

- O e manao e te tō pe leai?
- O le a le auala e sili ona fetauai ma
 - lou matua ua i ai nei
 - lou soifua maloloina
 - le ituaiga olaga o e i ai nei
- E te mana'omia le puipua o oe mai i Fa'ama'i Pipisi i faiga-'āiga (Sexually Transmitted Infections — STIs)?


Afai e i ai sau pā'aga, talanoa ma ia po o le a le auala e sili ona fetauai lelei ma oe. ▶



Totoga fānau o le tama'ita'i




Totoga fānau o le tāne



E mafai fo'i ona e talanoa ma lau fōma'i fa'apitoa poo lau tausi ma'i i auala mo 'āiga fuafuaina pe a e fia malamalama ātili.

E talia ma le fiafia alii i nofoaga o le Faalapototoga o 'Āiga Fuafuaina.

E aogā pa'u (condoms) e puipuia ai mai fa'amai pipisi o faiga-'āiga.



Mo nisi faamatalaga atili faafesootai le ofisa lata ane o le Faalapototoga o le 'Āiga Fuafuaina (FPA).

Auckland -	Henderson	09 836 0025
	Manukau	09 263 7600
	Newmarket	09 524 3341
	Panmure	09 570 9871
	Papakura	09 298 4608
	Queen Street	09 379 0657
	Takapuna	09 486 1014
Kawakawa		09 404 0368
Whangarei		09 438 1986
Wellington -	City	04 499 1992
	Lower Hutt	04 569 5025
	Porirua	04 237 8895
Hamilton		07 839 4061
Tauranga		07 578 8539
Hawera		06 278 9929
New Plymouth		06 759 8269
Christchurch		03 379 0514
Ashburton		03 308 1221
Blenheim		03 578 3047
Greymouth		03 768 0499
Rangiora		03 313 6697
Timaru		03 684 3872
Dunedin		03 477 5850
Invercargill		03 214 4978

Mo nisi faamatalaga e faatatau i tusi ma faamaumauga a le FPA, falemai ma itū tau aoaoga, saili i le initaneti, www.fpanz.org.nz pe telefoni 0800 fpaline (0800 372 5463).

Tūsia ma sāunia e le FPA 2003




'Āiga Fuafuaina – O lau Filifiliga

Faafesootai le FPA (Family Planning) mo faamatalaga auiliili mo soo se tasi o auala nei



Auala Method	O le a lea auala? E faapefea ona faaaoga? What is it? How does it work?	Avanoa e ono tō ai Chances of getting pregnant	Ni āfāina faale-soifua maloloina Health concerns	Mafuaaga e lelei ai Advantages	Mafuaaga e iē lelei ai Disadvantages
PA'U CONDOM	<ul style="list-style-type: none"> o se pa'u manifinifi e faamaulu i le pī o le tāne pe a tū malō na te tāofia le suasi pe a lelei ia sili ona lelei pe a faarnaseeeee i se u'u suavai 	<ul style="list-style-type: none"> 2-15% ae faelagolago pe o faaeogaina vai tape suasi ma ia faij foi ma le faaeteete telē le avanoa e tō ai pe a faarnasseeeee i u'u suavai 	<ul style="list-style-type: none"> leai se afaina ua iloa 	<ul style="list-style-type: none"> faigofie ona faaaoga, faigofie ona feaveai fe'eto'a faaaoga pe a manaomia pulpulga alli mo ma'i pipisi o falga-'āiga (STIs) maua i ofisa o le FPA ma isi auaunaga tau soifua maloloina mafai ona faatau mai papu, katalpu, fale talaval, ma le tale o faleolca taugōfie pe a talavai 	<ul style="list-style-type: none"> e maua ai i isi ma'i (allergic) ona o pa'u memei po o vei tape suasi sel iloga e tū malō le pī fe'eto'a mefai ona faamaulu i le taimi tonu o le a amata le feusuaiqa fai mei nisi e lē manai a faelogona o le faiga-'āiga mefai one mamulu pe mesee foi
PA'U FAAPULOU MO TAMAITAI DIAPHRAGM	<ul style="list-style-type: none"> pe'u ipotopoto folige i se ipu popo e momono i totonus o le ala fānau o le tamaitai e pupuni ai le suo atu o suesi o le tāne faaoga faatasi me le kulimi e tape ai suasi 	<ul style="list-style-type: none"> 4-20% ae faelagolago pe o faaaoga le val tape suasi ma mulimuli ta'i i faetonuga 	<ul style="list-style-type: none"> afaina tele sī le taga o feauval o nisl taimaitai 	<ul style="list-style-type: none"> mafai ona faamaulu mo ni itula se lei talail o'o i le talmi o falga-'āiga fa'ato'a faaaoga pe a manaomia fesoosoani e puipui mai ma'i pipisi tau faiga-'āiga (STIs) 	<ul style="list-style-type: none"> tatau ona faamaulu e se tausi mai tornai po o se formai i le ulua'i taimi e faaaoga ai falgatā ona faameulu ma aveesse e nisl taimaitai e eleela ma palapala iona faamaulu ma le aveessega e ono fe'alasi itutinosa o le alii ma le tamaitai pe a fa'aaoiga e le tetau ona ave'eelna sel i se etu i le 6 itula talu ona uma le faiga-'āiga
VAI TAPE SUASI SPERMICIDE	<ul style="list-style-type: none"> 'oa pei se fasimoli po o se kulimi feia i vaileau e tapēina le suasi 	<ul style="list-style-type: none"> 4-25% pe a faaaoga na o ia 2% pe afai e faaaoga ma se pa'u (condom) po o se pa'u fa'apulou 	<ul style="list-style-type: none"> leai se afaina ua iloa 	<ul style="list-style-type: none"> mafai ona faatau mai le FPA po o faetalavai faigofie ona faaaoga, faigofie ona feaveai fa'ato'a faaaoga pe a manaomia fesoosoani e pulpui mai ma'i pipisi tau faiga-'āiga (STIs) 	<ul style="list-style-type: none"> tatau ona faaaoga ae lei faia le faiga-'āiga e ono fe'alasi itutinosa o le alii ma le tamaitai e eleela ma palapala iona faameulu ma le aveessega falgofie ona lē aogā vaganā ua faaaoga faatasi ma se pa'u po o se pa'u faapulou
FUALAAU TU'UFA'ATASI COMBINED PILL	<ul style="list-style-type: none"> fualau e faia i sua hormone e iue, o le osetolotene (estrogen) ma le polosatotene (progestogen) tāofia le tu'uufua o le fuamo fafina i mesina ta'itasi 	<ul style="list-style-type: none"> 1-3% ae faelagolago i le mulimuli i faetonuga 	<ul style="list-style-type: none"> ititi se avanoa e ono meus ei le toto to'se (blood clot), ma'i fatu, ma le stroke. E tupu gofie i tamaitai e sili atu i le 35 teusage e ulaula ma tino puputa pe o mai foi i 'āiga e taatale ai ia ituaiga ma'i e ono afaina ai i le kanese o le suo 	<ul style="list-style-type: none"> faigofie ona inu e lē faalavelave i le faiga-'āiga e alu lelei le ma'i masina, puupuu le talmi, ititi ma iē tīgā tele le palapala alu avanoa ititi e ono kanese ai le to'a la fānau po o le fuamo fafina mafai ona faasoga pe se'i ia o'o i le vaitaimi e lē toe maua ai i le ma'i masina pe efai e meloloina ma lē ulaula 	<ul style="list-style-type: none"> manaomia le talavai mai le formai lē tatau ona faaaoga e tamaitai ulaula e sili atu i le 35 teusage le matutua manatua e inu i aeo taitasi i totonus o le 12 itula i le taimi e masani ona inu ai e ono i ai nisi afaina, faataitaige: faoopoole le mamafa, mātāita, suiga i le pa'u o le tino, fesuisui piliota me'i masina ai, faafaufau

FUALAAU POLOSETOTENE PROGESTOGEN ONLY



- fualaaau e faia i le hormone o le polosetotene (progestogen)
- na te faatoto'o'olna le sua (mucus) i le faitotoa o le to'alā fānau ina ia lē sao le suasi i totonu

- 1-4% ae faalagolago pe na mulimuli ta'i i faatonuge

- leai se afaina matuis

- faigofie ona inu
- e lē fa'alevelave i le faiga-'āiga
- mafai ona faasoga i soo se matua o teusega
- mafal ona faasoga e tīnā faasusu pepe
- aogā i tamaitai lē mafal ona faasoga le fualaau tuufastasi

- manaomia le talevai mai le fomei
- ia manatua e inu i aso ta'itasi i le 3 itula o tsimi e messni ona inu ei
- e ono fesuisuai teimi e siu ai le palapala po o le leai lava o se piliota masani

TUI DEPO PROVERA



- tui i le hormone o le polosetotene
- tāofia le tu'uufua o le fuamo fafina i masina taitasi

- ititi ifo i le 1%

- e ono maua i le kanesa o le susu
- ono faaititia le malō o ponisivi

- tasi le tui a aogā mo le 12 vaiseo
- le faalavelave i le faiga-'āiga
- masani ona lē toe maua se ma'i masina
- aogā i tamaitai e le mafai ona faasoga le fualaau tuufastasi.

- manaomia se talavai mai le fomei
- fesuisuai piliota ma'i masina, leai ni piliota pe alu tele le palapala
- tusa e 8 masina talu one lē toe tuia ona fe'ato'e toe ma'i masina me toe maua le avanoa e maltega ei
- ono l al nisl afalna, fa'ata'lta'iga; faoopoopo le mamafa, mafatiaga faae-mafaufau

LUPO INTRA UTERINE DEVICE - IUD



- IUD - tamai una ma le fasi kope e tuu i totonu o le to'alā fānau e se formai
- IUS - tamai una e tuu ai i totonu polosetotene i le to'alā fānau
- tāofia suasi i le fetaui ma se fuemos

- IUD - 1-2%
- IUS - ititi ifo i le 1%

- faateleina le avanoa e seria ai le nofoega (pelvic Infection) pe a tuu i totonu le IUD pe ua maua foi i se ma'i pipisi o faiga-'āiga (STI). O le afalna o le nofoega e ono lē toe fānau ai

- le faalavelave i le faiga-'āiga
- mafai ona mau peea oo i le 5 tausaga
- lelei stu mo tinā na fāneneu muemua
- IUS - lelei mo tameitai e malosi le palapala masina
- IUS - lā tīgalna i le ma'i masina pe matua leai lava se ma'i masina

- tatau ona faamaulu e se formai tornai
- IUD e ono faateleina le mālosi o le palapala masine pe migi maso. IUS e ono fesuisuai ai piliota ma'i masina i uluai masina e faasoga ai
- le tatau ona fa'aogā pe afai e i ai nisi peaga e le tamaitai po o le alli sua e ono maua ai i ma'i pipisi fai-'āiga, afaina o le nofoega (pelvic infection) ma le lē toe fānau.

HORMONE INTRA UTERINE SYSTEM - IUS



- siaki e le tamaitai le vevela o lona tino, sua toto'o (mucus) i le faitotoa o le to'alā fānau, ma lona piliota ma'i masina. O fasiloga is o le tino e iloa al po o afia e ono tō si o la


- 2-25% ae fa'alagolago i le mulimuli ta'i i faatonuge

- leai ni afaina

- talia e le tele o tāpua'iga faale-lotu le suaia les
- pe a melamalamae lelei i ai, e lē toe maimau se tupa pe tau alu foi e vaai se formai
- e iloa ai e le tagata fesuia'iga o lona tino

- manaomia se tasi e i ai lona tornai fa'epito e faesino maia les suaia
- leai se faiga-'āiga i le tamai e ono tō si
- tatau one faamaumau i aso tahtasi le vevela ma le sua toto'o (mucus) i le faitotoa o le to'alā fānau
- lā faigofie ona maitauina suiga o le tino ma e ono fesuisuai

KALENA FERTILITY AWARENESS



- fualaaau e inu i taimi faefuasei (ECP) po o se IUD e faamaulu ina ua mā'e se faiga-'āiga e lei puipua i auala mo 'āiga fuafuaina
- toe tuu i tua le taamilosaga pe tāofia foi le totoina o se fuamo ua fofoa

- ECP - 1-4%
- IUD - 1-2%

- ECP - leai se afaina ua iloa
- IUD - ono afaina le nofoega (pelvic Infection) pe afel o maua i se ma'i pipisi o faiga-'āiga

- faaititia ai le avanoa e tō ai pe a uma se faiga-'āiga e lei puipua
- ECP - mafai ona faasoga i le 72 itula talu ona urua le faiga-'āiga e lei puipua
- mafai ona i ai le ECP i le fale mo le faaaogalna i se taimi o i luma
- mafai ona faasoga pe a faaletonu isi auala pei o le masae o le pa'u (condom) po o le misia o le inuina o le fualaau

- tatau ona aumaia mai le fomei
- ECP e tatau ona faaaoga i totonu o le 72 itula talu ona urua le faiga-'āiga le puipua. Sili ona aogā pe a fa'aogāna i totonu o le 24 itula
- ECP e ono maua i faalogona ma'i pe pua'i foi
- IUD e tīgā pe a faamaulu i totonu

TA'OTOGA MO TĀNE MA TA'OTOGA MO TAMAITAI VASECTOMY & TUBAL LIGATION



- faiga tūmeu
- o se ta'otoga
- ta'otoga o alii (Vasectomy) - momotu feageau o suasi o le tāne
- ta'otoga o tamaitai (Tubal ligation) faapipii le fasaautagata 'ina ia le o'o ifo fuemos i le to'alā fānau

- ititi ifo i le 1%

- tactoga o tāne - seasea ae i si le avanoa e tīgā al fuapolo mo se talim 'umi
- tactoga o tamaitai - ititi lava se avanoa e ono afaina ai pe a tui faegase

- fastasi lava ona fai
- tūmeu e lē toe suaia

- le faigofie ona toe suaia
- manaomia le tactoga
- e ono i si ni afaina feaveitaimi pupuu, feateiteiga: tīgā, uno'o